

# Murinized Anti-Mouse PD-1 (RMP1-14) Recombinant Antibody D265A

**Product Code:** ICH1182D265A

**Murinized Anti-Mouse PD-1 Recombinant Antibody (RMP1-14) D265A**

## **Product Benefits:**

ichorbio has murinized the popular anti-mouse PD-1 antibody RMP1-14 and added a D265A mutation. ichorbio's murinized anti-mouse PD-1 antibody (RMP1-14) D265A is manufactured in a cGMP compliant facility. Click [here](#) for ichorbio's RMP1-14 antibodies and [here](#) to view ichorbio's complete list of anti-PD-1 antibodies and biosimilars. ichorbio: the best antibodies for *in vivo* research.

## **Size:**

ICH1182D265A murinized anti-mouse RMP1-14 D265A is available in the following sizes: 5mg, 10mg, 20mg and 50mg

## **Target:**

PD-1

## **Clone:**

RMP1-14

## **Isotype:**

Mouse IgG1

## **Other Names:**

Programmed cell death protein 1, Pdc1, CD279

## **Uniprot:**

---

ichor.bio // hello@ichor.bio

Products are for research use only. Not for use in diagnostic or therapeutic procedures.

ichorbio, ichorbio logo and all other trademarks are the property of ichorbio LTD © ichorbio

2026

[Q02242](#)

**Host:**

CHO

**Species Reactivity:**

Mouse

**Specificity:**

Mouse anti-mouse PD-1 antibody (RMP1-14) recognizes an epitope on Mouse PD-1. ICH1182D265A contains a mutation at D265A to reduce its effector function.

**Purification Method:**

This recombinant antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

**Antigen Distribution:**

Subset of double negative thymocytes, activated T and B cells

**Background:**

CD279, also known as programmed death-1 (PD-1) is a 50-55 kD immunoglobulin superfamily member. PD-1 is expressed on a subset of CD4-CD8- thymocytes, and on activated T and B cells. The PD-1 ligands, PD-L1 (also known as B7-H1) and PD-L2 (B7-DC), are members of the B7 immunoglobulin superfamily. This RMP1-14 antibody has been reported to block the binding of PD-1 to its ligands (B7-H1 and B7-DC) and to inhibit T cell proliferation and cytokine production.

**Immunogen:**

Mouse PD-1 transfected BHK cells

**Concentration:**

1.0 - 5.0 mg/ml

**Formulation:**

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

**Purity:**

>95% by SDS-PAGE and HPLC

**Endotoxin:**

≤ 1.0 EU/mg as determined by the LAL method

**Storage:**

This antibody is stable for at least 4 weeks when stored at 2-8°C. For long term storage, aliquot in working volumes without diluting and store at - 20°C or -80°C. Avoid repeated freeze thaw cycles.

**Applications:**

Western Blot, Blocking, Flow Cytometry, Functional Assays

**Use:**

Products are for research use only.

**Isotype Control:**

[Mouse IgG1 Isotype Control for In Vivo - Low Endotoxin \(HKSP84\) \[ICH2248\]](#)

**Original Antibody:**

[Anti-PD-1 In Vivo Antibody - Low Endotoxin \[RMP1-14\]](#)

**Antibodies against the same target:**

[Anti-PD-1 In Vivo Antibody - Low Endotoxin \[29F.1A12\] \(ICH1091\)](#), [Anti-PD-1 In Vivo Antibody - Ultra Low Endotoxin \[29F.1A12\] \(ICH1091UL\)](#)

## Alternative Names:

- CD279 antibody
- CD279 antigen antibody
- mPD 1 antibody
- mPD I antibody
- mPD-1 antibody
- mSLE1 antibody
- PD 1 antibody
- PD-1 antibody
- PD1 antibody
- PDCD 1 antibody
- PDCD1 antibody
- PDCD1\_mouse antibody
- Programmed cell death 1 antibody
- Programmed cell death 1 protein antibody
- Programmed cell death protein 1 antibody
- Protein PD 1 antibody
- Protein PD-1 antibody
- SLEB2 antibody
- Systemic lupus erythematosus susceptibility 2 antibody