

Name: Bulk anti-human CD25 antibody (7G7B6) [ICH1163]

**Sku: ICH1163** 

Catagories: anti-human, ELISA, Flow Cytometry, Immunofluorescence, Immunoprecipitation, Low Endotoxin, Ultra Low Endotoxin, Western Blot



**Product price:** \$375.00 – \$2,950.00

## **Product Details**

## Bulk anti-human CD25 antibody (7G7B6)

Bio X Cell:

ICH1163 is <u>up to 30% cheaper</u> for academia & non-profits and <u>up to 55% cheaper</u> for industry than the equivalent product BE0014 from Bio X Cell.

**Product Benefits:** 

ichorbio's bulk anti-human CD25 (IL-2R?) antibody (7G7B6) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our <u>competitors</u> at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%).

Target:

CD25

Clone:
7G7B6
Size:
ichorbio's 7G7B6 <i>in vivo</i> antibody is available in the following bulk sizes: 1mg, 5mg, 25mg, 50mg and 100mg ichorbio regularly manufactures multi-gram amounts of our anti-CD25 7G7B6 clone - please contact us for pricing.
Isotype:
Mouse IgG2a
Other Names:
IL2RA, Interleukin-2 receptor subunit alpha, TAC, p55
Uniprot:
<u>P01589</u>
Host:
Mouse
Species Reactivity:
Human
Specificity:
Clone 7G7B6 reacts with human CD25
Purification Method:
This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.
Antigen Distribution:
IL-2R? is expressed on activated mature T and B lymphocytes, during early stages of thymocytes development, pre-B cells, and in activated CD4+ memory T-lymphocytes
Background:
CD25 (IL-2R?) is the 55 kDa subunit of the interleukin 2 receptor alpha chain which has been shown to play roles in lymphocyte differentiation, activation, and proliferation. IL-2R? is a transmembrane glycoprotein comprised of a heavily glycosylated extracellular domain, a transmembrane region and a short cytoplasmic tail. IL-2R? heterodimerizes with IL-2R? (CD122) and IL-2R? (CD132) and forms the IL-2 receptor complex. IL-2R? by itself binds IL-2 with relatively low affinity, while the IL-2 receptor complex binds IL-2 with high affinity. IL-2R? mutations cause severe immunodeficiency.

Immunogen:

Recombinant human peripheral blood mononuclear cells (PBMCs)

Concentration:
1.0 mg/ml
Formulation:
This monoclonal antibody is aseptically packaged and formulated in 0.01 M phosphate buffered saline (PBS pH 7.2 - 7.4, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and azide free
Purity:
>95% by SDS-PAGE and HPLC
>98% by SDS-PAGE and HPLC
Endotoxin:
? 1.0 EU/mg as determined by the LAL method
? 0.75 EU/mg as determined by the LAL method
Aggregation:
Aggregation level ? 5%
Aggregation level ? 1%
IMPACT Pathogen Test:
We use the IMPACT test generated by IDEXX Laboratories to guarantee our Ultra Low Endotoxin antibodies are pathogen free. Our mouse antibodies are tested for: Mycoplasma spp. Mycoplasma pulmonis Sendai virus Mouse hepatitis virus Pneumonia virus of mice Minute virus of mice Mouse parvovirus (MPV 5) Theiler's murine encephalomyelitis virus Murine norovirus Reovirus 3 Mouse rotavirus Ectromelia virus Lymphocytic choriomeningitis virus Polyoma virus Lactate dehydrogenase-elevating virus Mouse adenovirus (MAD1, MAD2) Mouse cytomegalovirus K virus Mouse thymic virus Hantaan virus Corynebacterium bovis Corynebacterium spp. (HAC2)
Storage:
This antibody is stable for at least 4 weeks when stored at 2-8°C. For long term storage, aliquot in working volumes without diluting and store at $-20$ °C or $-80$ °C. Avoid repeated freeze thaw cycles.
Applications:
ELISA, Flow Cytometry, Immunofluorescence Staining, Immunoprecipitation, Western Blotting
Application Notes:
Each investigator should determine their own optimal working dilution for specific applications.
Use:
Products are for research use only. Not for use in diagnostic or therapeutic procedures.

**Additional information:** 

**Size:** <u>1mg</u>, <u>5mg</u>, <u>25mg</u>, <u>50mg</u>, <u>100mg</u>

Endotoxin Level: Low, Ultra Low